



**Commercial
Rib Charter®**


Europe's Leading
Commercial Rib Charter
Company



About Commercial Rib Charter



Established in 2001, CRC are the market leading provider of commercial vessels between 3m and 19m in length. Our vessels include cable lay support, crew transfer, shallow draft, amphibious, survey, dive, police, and work boats. Our forty-eight vessels set the standard for excellence, all thanks to our fantastic team.





Contact Info & Enquiries

Telephone:

Office: +44 (0) 1590 607103

24hr Emergency: +44 (0) 7979 533722

Office address:

Commercial Rib Charter Ltd, Unit 6 Dell Buildings
Milford Road, Lymington, Hampshire SO41 0ED

Contents

CRC Sentinel	04
CRC Vulcan	05
CRC Gladiator	06
CRC Voyager	07
CRC Galaxy	08
CRC Galaxy DSV	09
CRC Ventura	10
CRC Walrus	11
CRC Vanguard	12
CRC Vigilant	13
CRC Hunter	14
CRC Buccaneer	15
CRC Defender	16
CRC 8.8m Open Ribs	17
CRC 7.8m Open Ribs	18
CRC Cygnet	19
CRC Gannet	20
CRC Snipe	21
CRC Sabre	22
CRC Dart	23
CRC Scuba Replacement Pack	24
CRC Compressor Pack	25
CRC Modular pontoons	26



Office: **01590 607103**

24 hour support: **07979 533722**

info@commercialribcharter.co.uk

www.commercialribcharter.co.uk



General Characteristics	
Vessel Name	CRC SENTINEL
MMSI	235083968
Call Sign	2ECN8
Coding	MCA Category 2 - 60nm Offshore day & night Stability booklet
IMCA	CMID Registered
MLC	Compliant
Vessel Capacity	12 PAX + 3 crew / 1,500kg payload

Vessel Specification	
Manufacturer	Alicat Workboats
Hull Material	Aluminium
LOA	19.0m
Beam	7.4m
Draft	1.2m
Tonnage	43,240kg approx.
Bollard Pull	5,000kg approx.
Machinery	2 x MAN D2862 - V12 1200HP 2 x Rolls Royce FF500 waterjets 2x Cummins Onan 13.5kVa / 230V
Lifting	1x Bonfiglioli P7200 L2 920kg @ 7m
Fuel - Oils	Diesel 2 x 2,500L
Speed: Cruise / Max	22 / 29kts
Fuel Burn	400ltrs PH Combined @ 21kts
Max wave height	2.5m Significant
Bow Dimensions	Width - 4.3m Height from waterline - 2.4m
Anchoring	Hercules Hydraulics 4-point spread 4 x winches with auto brakes 4 x 200kg anchors 4x 450m Dyneema / 27m Chain Bridge hydraulics control panel

Diving System - IMCA DO23 Compliant	
Air & Nitrox Fixed Dive Spread	1 x 2 Diver Air Panel
	1 x 2 Diver Nitrox Panel
	1 x 1 Diver Stand-by Panel
	4 x Greisinger O2 Analysers
Subsea Video & Data Recording	1 x Greisinger O2 Sensor
	1 x AXSUB AxVIEW 3V-RM Recording System
	1 x AXSUB Blackbox Recording System
	1 x Rackmount TouchPanel 17" Display 1TB HDD
Communications	2 x 19" Full LED HD Monitors
	1 x C-Tecnic C-Phone 4R 4 Channel System
	1 x C-Tecnic Premium Tenders Dive Supervisor Headset
	1 x APC Smart-UPS SRT 2700 Watt / 3000VA
Power Backup	Built-in Automatic Bypass Switch
	Run Time at Full Load - 10m 29s
Cameras, Lamps & Helmets	3 x AXSUB AxSEE 57i SMART Cameras with Depth Meter
	1 x Hikvision Vessel CCTV Monitor (at Dive Station)
	3x AXSUB AxLIGHT 35 LED Lamps (2,800 Lux @ 1m)
	8 x AXSUB Helmet Bracket Kits for 35mm & 57mm Housings
Umbilicals	3 x Fibroline 125m Umbilicals
	4 Core - Air, Pneumo, Comms, Mini TV
Cylinders	Air - 6x 200 Bar 50L Primary + 1x Secondary
	Nitrox - 8x 300 Bar 45L Primary + 1x Secondary
HP Compressor	Standby Diver (Air) - 1x Primary + 1x Secondary
	1 x Coltri MCH11EM 300 Bar / 200ltrs per min
Launch & Recovery	Auto Control System
	Maxifilter Purification System
Welfare	Bespoke Dive Platform and Ladder
	Floodlit and CCTV Monitored
	Emergency Rescue Davit
	4x Single Berth Crew Quarters
	Full Galley Services - Hot / Cold Water, Microwave, Hob
	Heads, Basin & Shower



General Characteristics	
Vessel Name	CRC VULCAN
MMSI	235083437
Call Sign	2EAH2
Coding	MCA Category 2 - 60nm Offshore day & night Stability booklet, IMDG
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 3 crew / 4,000kg payload

Vessel Specification	
Manufacturer	IOW South Boats
Hull Material	Aluminium
LOA	16.48m
Beam	6.3m
Draft	1m
Tonnage	24,000kg Approx.
Bollard Pull	5,000kg Approx.
Machinery	2 x Scania D16 42M 2 x Ultra Dynamics UJ452 1 x Cummins Onan 9.5kVa / 230V
Fuel - Oils	Diesel 2 x 1,820L
Speed: Cruise / Max	21 / 25 Kts
Fuel Burn	270Ltrs PH Combined @ 21kts
Max Wave Height	1.75m Significant
Bow Dimensions	Width - 4.7m Height from waterline - 2.1m

Technical Specification	
Navigation & Communications	2 x Furuno GP39 GPS
	2 x Furuno Navnet TZ2 chart plotter / radar
	1 x Furuno Universal FA-150 Class A AIS
	2 x Sailor RT5022 DSC VHF
	1 x Taiyo Musen TDL 1550 VHF DF Receiver
	1 x Furuno LH-3000 loudhailer
	CCTV & Recorder - 8 x external/internal cameras
	On-board WiFi
Systems & Welfare	LED navigation & deck flood lights
	LED cabin lights - white / red
	10 x Bilge auto/manual over-ride bilge pumps
	Inverter & generator 240v
	2 x Air suspension bridge seats
	12 x Air suspension saloon seats
	Galley - hot / cold water, microwave, hob
	Heads & basin
Deck Arrangement	Eberspacher D5 heating
	2 x Rescue zones with Jason's Cradle
	Forward steps with boarding hand rails
	Large clear fore deck with stowage and mounting points
Optional Extras	ROV davit
	Survey pole
	Protective deck matting
	Dive ladder
	Diver recovery davit
	Surface supply dive equipment

CRC GLADIATOR 13m Multi-Role Catamaran

General Characteristics	
Vessel Name	CRC GLADIATOR
MMSI	235112943
Call Sign	2IUR3
Coding	MCA Category 2 - 60nm Offshore day & night Load line exemption certificate, IMDG
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload

Vessel Specification	
Manufacturer	South Boats IoW
Hull Material	GRP
LOA	13m
Beam	5.4m
Draft	0.8m
Bollard Pull	3,000kg approx.
Tonnage	15,000kg Approx.
Machinery	2 x Iveco FPT Cursor C90 620 2 x MJP Ultrajet 377 waterjets 1 x Cummins Onan 4kVa / 230v
Fuel - Oils	Diesel 2 x 800L
Speed: Cruise / Max	27 / 30 Kts
Fuel Burn	160Ltrs PH Combined @ 21kts
Max Wave Height	1.5m Significant
Bow Dimensions	Width - 3.2m Height from waterline - 1.7m

Technical Specification	
Navigation & Communications	1 x Simrad 12" NSE plotter
	1 x Furuno Navnet 3D MFD12 radar
	1 x Furuno Universal FA-150 Class A AIS
	1 x Sailor 6222 DSC VHF
	1 x Standard Horizon GX1700E DSC VHF
	1 x Furuno LH-3000 loudhailer
	CCTV & Recorder - 8 x external/internal cameras
	On-board WiFi
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights - white / red
	10 x Bilge auto/manual over-ride bilge pumps
	Inverter & generator 240v
	2 x Air suspension bridge seats
	12 x Air suspension saloon seats
	Galley unit - hot / cold water, microwave.
	Heads & basin
	Eberspacher heating
Deck Arrangement	Air conditioning
	2 x Rescue zones with Jason's Cradle
	Forward steps with boarding hand rails
	Large clear fore & aft deck with stowage and mounting points
Optional Extras	Aft deck seating with canopy
	Survey pole
	Protective deck matting
	Dive ladder
	Diver recovery davit
	Surface supply dive equipment

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

General Characteristics	
Vessel Name	CRC VOYAGER
MMSI	232011764
Call Sign	MBZZ7
UK Coding	MCA Category 2 - 60nm Offshore day & night N q c f " n k p g " g z g o r v k q p " e g t v k í
Irish Coding	P5 Passenger boat licence
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload



X g u u g n " U r g e k í " e c v k q p	
Manufacturer	Ribcraft / Goodchild Marine / Alicat
Hull Material	Aluminium
LOA	15.0m
Beam	3.6m
Draft	0.8m
Tonnage	11,000kg
Bollard Pull	3,000kg approx.
Machinery	2 x Volvo-Penta D6-435 2 x Hamilton HJ322 waterjets 3 " z " H k u e j g t " R c p f c " : 2 2 2 k " : m o u n t i n g 230v Silent Running Generator.
H w g n " / " Q k n	Diesel 2 x 900L
Speed: Cruise / Max	25 / 30 Kts
H w g n " D w t p	120Ltrs PH Combined @21kts
Max Wave Height	3 0 4 o " U k i p k í " e c p v "
Bow Dimensions	Width - 2.4m Height from waterline - 1.3m

V g e j p k e c n " U r g e k í " e c v k q p	
Navigation & Communications	2 x Garmin 7416 plotter / HD radar / sonar
	4 " z " l c t o k p " 5 2 2 k " í " z g f "
	Airmar weather station
	McMurdo Class A AIS
	Loudhailer unit
Systems & Welfare	CCTV
	N G F " p c x k i c v k q p " (" f g e m "
	LED cabin lights - white / red
	2 x Class 1 blue LED strobe lights
	High-powered searchlight
	14 x Grammer suspension seats
	Galley unit - hot / cold water, microwave
	Heads
	Shower
Deck Arrangement	MOB recovery davit
	2 x Rescue zones with Jason's Cradle
	H q t y c t f " u v g r u " y k v j " d q c
	H w n n " j g k i j v " h q t y c t f " e c
	Large clear aft deck with stowage and mounting points
Optional Extras	Dive ladder
	Protective deck matting
	Mothership stowage cradle
	Surface supply dive equipment
	Survey pole

I g p g t c n " E j c t c e v g t k u v k e	
Vessel Name	CRC GALAXY
MMSI	235116253
Call Sign	2JIT4
Coding	MCA Category 2 - 60nm Offshore day & night Load n k p g " g z g o r v k q p " e g t v k i " e c v g Daughter craft capability
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload

X g u u g n " U r g e k i " e c v k q p	
Manufacturer	Ribcraft / Goodchild Marine
Hull Material	GRP
LOA	15.0m
Beam	3.6m
Draft	0.8m
Tonnage	9600Kg approx.
Bollard Pull	3,000kg approx.
Machinery	2 x Volvo-Penta D6-435 2 x Hamilton HJ322 waterjets 1 x Fischer Panda 8000i 8kVa / 230v Silent Running Generator.
Displacement Loaded	15500KG
Fuel - Oils	Diesel 2 x 900L
Speed: Cruise / Max	25 / 30 Kts
Fuel Burn	120Ltrs PH Combined @ 21kts
Max Wave Height	3 0 4 o " U k i p k i " e c p v
Bow Dimensions	Width - 2.5m Height from waterline - 1.4m

V g e j p k e c n " U r g e k i " e c v k q p	
Navigation & Communications	2 x Garmin 7416 plotter / HD radar / sonar
	1 x Garmin 300i DSC VHF
	1x Icom IC-M506 DSC VHF
	1 x Icom M802 SSB MF/HF Radio
	McMurdo Class A AIS
Systems & Welfare	Loudhailer unit
	N G F " p c x k i c v k q p " (" f g e m "
	LED cabin lights - white / red
	2 x Class 1 blue LED strobe lights
	Francis high-powered searchlight
	14 x Gammer air suspension seats
	Galley unit - hot / cold water, microwave
	Heads
Deck Arrangement	Shower
	L c d u e q " i " t g " 1 " u c n x c i g "
	MOB recovery davit
	Henriksen lifting hooks
	2 x Rescue zones with Jason's cradle
	Forward steps with boarding handrails
	Full height forward cabin access door
	Large clear aft deck with stowage and mounting points
Optional Extras	Dive ladder
	Protective deck matting
	Mothership stowage cradle
	Surface supply dive equipment
	Survey pole
	Surface supply dive equipment



CRC GALAXY DSV

15m Dive Support Vessel


General Characteristics	
Vessel Name	CRC GALAXY DSV
MMSI	235116253
Call Sign	2JIT4
Coding	MCA Category 2 - 60nm Offshore day & night Load n k p g " g z g o r v k q p " e
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload
X g u u g n " U r g e k i " e c v k q p	
Manufacturer	Ribcraft / Goodchild Marine
Hull Material	GRP
LOA	15.0m
Beam	3.6m
Draft	0.8m
Tonnage	9600Kg approx.
Bollard Pull	3,000kg approx.
Machinery	2 x Volvo-Penta D6-435 2 x Hamilton HJ322 waterjets 1 x Fischer Panda 8000i 8kVa / 230v Silent Running Generator.
Displacement Loaded	15500KG
Fuel - Oils	Diesel 2 x 900L
Speed: Cruise / Max	25 / 30 Kts
Fuel Burn	120Ltrs PH Combined @ 21kts
Max Wave Height	3 0 4 o " U k i p k i " e c p v "
Bow Dimensions	Width - 2.5m Height from waterline - 1.4m

V g e j p k e c n " U r g e k i " e c v k q p	
Air & Nitrox Fixed Dive Spread	1 x 2 Diver Air Panel
	1 x 1 Diver Stand-by Panel
	3 x Greisinger O2 Analysers
Subsea Video & Data Recording	1 x AXSUB AxVIEW 3V-RM Recording System
	1 x AXSUB Blackbox Recording System
	1 x Amron 3 Diver Rack Mounted Radio
	1x 32-inch Central Command Screen
Communications	1 x Icom IC-M506 DSC VHF
	Communications 1 x Icom M802 SSB MF/HF Radio
Power Backup	1 x APC Smart-UPS SRT 2700 Watt / 3000VA
	Built-in Automatic Bypass Switch
	Run Time at Full Load – 1h 29m
Cameras, Lamps & Helmets	3 x AXSUB AxSEE 57i SMART Cameras with Depth Meter
	1 x Hikvision Vessel CCTV Monitor (at Dive Station)
	3x AXSUB AxLIGHT 35 LED Lamps (2,800 Lux @ 1m)
	3x x AXSUB Helmet Bracket Kits for 35mm & 57mm Housings
Umbilical's	3 x Fibroline 100m Umbilicals
	4 Core - Air, Pneumo, Comms, Mini TV
Cylinders	6x 50L 220 Bar CarboTainer
Launch & Recovery	Bespoke Dive Platform and Ladder
	Floodlit and CCTV Monitored
	Emergency Rescue Davit
	Henriksen lifting hooks
Welfare	14x Gammer air suspension seats
	Full Galley Services - Hot / Cold Water, Microwave
	Heads, Basin & Shower

General Characteristics	
Vessel Name	CRC WALRUS
MMSI	232045496
Call Sign	MMXA2
Coding	MCA Category 2 - 60nm Offshore day & night. Load line g z g o r v k q p " e g t v k i "
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	8 PAX + 2 crew / 1,000kg payload

X g u a n " U r g e k i " e c v k q p	
Manufacturer	Diverse Marine
Hull Material	Aluminium
LOA	12.8m
Beam	4.0m
Draft	1.2m Wheels Up / 1.4m Wheels Down
Air Draft	4.5m Sea / 6.8m Land
Tonnage	12,000kg
Bollard Pull	3,000kg approx.
Machinery	2 x Suzuki 325hp 1 x Whisper 4.4kVa/230v Genset. 1 x Kubota 37kW Air-Cooled HPU
Fuel - Oils	Diesel 2 x 335L
Speed at Sea: Cruise / Max	16 / 24 Kts
Speed on Land: Cruise / Max	2 / 4 Kts
Fuel Burn	80Ltrs PH Combined @ 18kts
Max Wave Height	3 0 7 o " U k i p k i " e c p v "
Bow Dimensions	Width - 3m Height from waterline - 1.8m


V g e j p k e c n " U r g e k i " e c v k q p	
Navigation & Communications e c v g . " K O F	2 x Garmin 1223xsv plotter / radar / sonar
	1 x Icom M510E VHF / DSC Radio
	1 x Garmin VHF 215 Marine Radio
	1 x Furuno NX700 NAVTEX receiver
	1 x Furuno FA-170 Class A AIS
	1 x Garmin GHC-20 Autopilot
	CCTV & Recorder - 12 x cameras
Systems & Welfare	On-board WiFi
	N G F " p c x k i c v k q p " (" f g e m "
	LED cabin lights - white / red
	High-powered searchlight
	Heating, heads and basin
Deck Arrangement	8 x passenger & 2 x Grammer crew seats
	Galley - boiling hot / cold water, microwave, refrigerator
	MOB recovery davit and fall arrest system
	2 x rescue zones
Amphibious System	Transfer platform with sliding walkway (2.8m) and handrails
	Large clear fore deck with stowage and mounting points
	3 x 40" x 15" tyres on 23" rims
	3 x 200 bar hydraulic wheel motors for all-wheel drive
	Hercules Alliance joystick control system
Optional Extras	Hydraulically released mechanical brakes
	Traction control
	Wheel position sensors, alarms and CCTV
	Protective deck matting
	Silent running generators 1kw - 6.5kw
	Surface supply dive equipment



General Characteristics	
Vessel Name	CRC VANGUARD
MMSI	232020455
Call Sign	MERC2
Coding	MCA Category 2 - 60nm Offshore day & night N q c f " n k p g " g z g o r v k q p " e g t v k i
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload
Bareboat Option	Yes

X g u u g n " U r g e k i " e c v k q p	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	12.5m
Beam	3.6m
Draft	0.8m
Tonnage	5,000kg
Bollard Pull	2,000kg approx.
Machinery	2 x Suzuki 325hp
H w g n " / " Q k n u	Petrol 2 x 600L
Speed: Cruise / Max	27 / 39 Kts
H w g n " D w t p	120Ltrs PH Combined @ 21kts
Max Wave Height	3 0 4 o " U k i p k i " e c p v "
Bow Dimensions	Width - 1.8m Height from waterline - 1.1m

V g e j p k e c n " U r g e k i " e c v k q p	
Navigation & Communications	2 x Garmin 7416 plotter / HD radar / sonar
	4 " z " l c t o k p " 5 2 2 k " i " z g f "
	Airmar weather station
	McMurdo Class A AIS
	Loudhailer unit
Systems & Welfare	CCTV
	N G F " p c x k i c v k q p " (" f g e m "
	LED cabin lights - white / red
	2 x Class 1 blue LED strobe lights
	High-powered searchlight
	Heating
	Heads
Deck Arrangement	14 x Grammer suspension seats
	Basic Galley
	MOB recovery davit
	2 x Rescue zones with Jason's Cradle
	H q t y c t f " u v g r u " y k v j " d q c f b l e i " i n s e f t a t t a c h e d
Optional Extras	H w n n " j g k i j v " h q t y c t f " e c
	Large clear aft deck with stowage and mounting points
	Protective deck matting
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle
	Survey pole






General Characteristics	
Vessel Name	CRC VIGILANT
MMSI	232040456
Call Sign	MKWL9
Coding	MCA Category 2 – 60NM Offshore day & Night N q c f " N k p g " g z g o r v k
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 Crew / 1500kg payload
Bareboat Option	Yes

X g u u g n " U r g e k i " e c v k q p	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	12.5m
Beam	3.5m
Draft	0.8m
Tonnage	8,400kg
Bollard Pull	2000kg approx.
Machinery	2 x Suzuki 325hp
H w g n " / " Q k n	uPetrol – 2 x 225L
Speed: Cruise/Max	27 / 39 kts
H w g n " D w t p	120Lts PH Combined @ 21kts
Max Wave Height	3 0 4 o " U k i p k i " e c p v
Bow Dimensions	Width – 1.8m Height from waterline – 1.1m


V g e j p k e c n " U r g e k i " e c v k q p	
Navigation & Communications	2 x Garmin 8412xsv plotter / HD radar / sonar
	4 " z " K e q o " 1 " l c t o k p " i " z g
	Raymarine Class A AIS
	Loudhailer unit
	CCTV crew monitoring
Systems & Welfare	N G F " p c x k i c v k q p " (" f g e m "
	LED cabin lights – white/red
	High-powered searchlight
	Heating
	Grammer suspension seats
	Heads
Deck Arrangement	Hot water boiler
	MOB recovery davit
	H q t y c t f " u v g r u " y k v j " d q c t t k p i " j c p f t c k n u
	H w n n " j g k i j v " h q t y c t f " c e
Optional Extras	Clear aft deck with stowage and mounting points
	Protective deck matting
	Silent running generators 1kw-6.5kw
	Mothership stowage Cradle
	Survey pole



General Characteristics	
Vessel Name	CRC HUNTER
MMSI	232065497
Call Sign	MTF04
Coding	MCA Category 2 - 60nm Offshore day & night
IMCA	eCMID registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload
Bareboat Option	No

X g u u g n " U r g e k í " e c v k q p	
Manufacturer	Cheetah Catamaran
Hull Material	GRP
LOA	11m
Beam	3.4m
Draft	0.8m
Tonnage	4,200KG
Machinery	2 x Honda 250hp
Fuel - Oils	Petrol 2 x 220ltrs
Speed: Cruise / Max	20 / 30 Kts
Fuel Burn	80Ltrs PH Combined @ 22kts
Max wave height	3 0 4 o " U k i p k í " e c p v
Bow Dimensions	Width - 2.2m Height from waterline - 1.5m



V g e j p k e c n " U r g e k í " e c v k q p	
Navigation & Communications	1 x Simrad plotter / HD radar / sonar
	4 " z " U k o t c f " 1 " T c { o c t k p g " í " z g f " F U E " X J H
	Digital Yacht Class A AIS
	Loudhailer unit
	Simrad depth sounder
	Stern camera
Systems & Welfare	N G F " p c x k i c v k q p " (" f g e m " ũ " q q f n k i j v u
	LED cabin lights - white / red
	Heating
	WBV suspension seating
	Heads
	High powered search light
Deck Arrangement	MOB recovery cradle
	Forward steps with boarding hand rails
	Aft access ladder
	Rescue zones with Jason's Cradle
	Full height rear cabin access door
Optional Extras	Clear aft deck with stowage and mounting points
	Protective deck matting
	Survey pole
	Silent running generators 1kw - 6.5kw
	Tender with outboard



General Characteristics	
Vessel Name	CRC BUCCANEER
MMSI	232027663
Call Sign	MHIN2
Coding	MCA Category 2 - 60nm offshore day & night Load line exemption cert. Work Boat Code 3
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	4 PAX + 2 crew / 1,000kg Payload
Bareboat Option	Yes


Xguugn "U r g e k i" e c v k q p	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	10.5m
Beam	3m
Draft	0.8m
Tonnage	6.1T
Bollard Pull	1,000kg approx.
Machinery	2 x Suzuki 325hp
Fuel - Oils	Petrol - 630L capacity
Speed: Cruise/Max	27 / 35 kts
Fuel Burn	100Ltrs PH Combined @ 21kts

V g e j p k e c n " U r g e k i" e c v k q p	
Navigation & Communications	2 x Raymarine Axiom 12 Pro
	2 x Raymarine 63 VHF
	Raymarine Quantum 2 Doppler Radar
	Raymarine Class A AIS
	Loudhailer unit
Systems	NGF " p c x k i c v k q p " (" f g e m " ð " q q f n k i j v u
	LED cabin lights - white / red
	2 x class 1 blue LED strobe lights
	High-powered searchlight
Welfare	Grammer air suspension skipper and crew seat
	Jockey seat arrangement
	Hot water boiler
	Heads
Deck Arrangement	2x 240v outlets
	Large foredeck with optional mount point
	Forward steps with boarding hand rails
Optional Extras	Large clear aft deck with dive ladder mounting points
	Protective deck matting
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Survey Pole
	Dive ladder



CRC DEFENDER

10m Cabin Rib



General Characteristics	
Vessel Name	CRC DEFENDER
MMSI	235100527
Call Sign	2GUA2
Coding	MCA Category 2 - 60nm Offshore day & night
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	6 PAX + 2 crew/ 1000kg payload
Bareboat Option	Yes


X g u u g n " U r g e k í " e c v k q p	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	10.0m
Beam	3.3m
Draft	0.9m
Tonnage	4790kg
Machinery	2 x Yanmar 6LPA 315hp
Fuel - Oils	Diesel 2 x 220ltrs
Speed: Cruise / Max	24 / 35 Kts
Fuel Burn	80Ltrs PH Combined @ 24kts
Max wave height	3 0 4 o " U k i p k í " e c p v "

V g e j p k e c n " U r g e k í " e c v k q p	
Navigation & Communications	1 x Raymarine Axiom 9" MFD / Plotter / Radar
	1 x Icom IC-M506 VHF
	1 x Icom IC-M426GE VHF
	1 x Class B AIS
	1 x Loudhailer Unit
	4 " z " D n w g " N G F " ô " c u j k p i " n k i j v u
Systems & Welfare	N G F " p c x k i c v k q p " (" f g e m " ô " q q f n k i j v u
	LED cabin lights - white / red
	High powered searchlight
	4 x Air suspension Seats
	MOB Recovery System
Deck Arrangement	4m2 Aft Deck Platform
	Hadrian Pilot Safety Rail
	Aft towing Bollard
Optional Extras	Protective deck matting
	Silent running generators 1kw - 6.5kw
	Surface supply dive equipment

General Characteristics	
Vessel Name	CRC 8.8m Open Rib - 12 Available
MMSI	Various
Call Sign	Various
SSR	Various
Coding	MCA Category 3 - 20nm offshore day & night N q c f " n k p g " g z g o r v k q p " e g t v k i IMCA MISW Registered
Vessel Capacity	12 PAX
Port of London Auth.	E g t v k i " g f
Police Boat Code	E g t v k i " g f
Bareboat Option	Yes

X g u u g n " U r g e k i " e c v k q p	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	8.8m
Beam	2.7m
Draft	0.7m
Tonnage	3 . ; 2 2 m i
Bollard Pull	800kg approx.
Machinery	1 x Suzuki 250hp
Fuel - Oils	Petrol
Fuel Capacity	260 ltrs
Fuel Burn	40Ltrs PH @ 25kts
Speed: Cruise/Max	25 / 42 kts



V g e j p k e c n " U r g e k i " e c v k q p	
Navigation & Communications	Garmin 551s colour GPS plotter
	Garmin depth sounder
	K e q o " K E / O 7 2 7 " i " z g f " F U E
	Class B AIS System
	LED navigation lights
Deck Arrangement	Full height front console
	2 x Helm / navigator wing supported jockey seats
	4 x Double jockey seats with backrests - removable
	Anchor & fender deck locker
	2 x large watertight deck lockers
Optional Extras	Storage locker in front of console
	Class A AIS transponder
	Protective deck matting
	Blue or orange class 1 strobe lights
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle



General Characteristics	
Vessel Name	CRC 7.8 m Open Rib - 8 Available
MMSI	Various
Call Sign	Various
SSR	Various
Coding	MCA Category 3 - 20nm offshore day & night N q c f " n k p g " g z g o r v k q p " e g t v k i IMCA MISW Registered
Vessel Capacity	12 PAX
Port of London Auth.	E g t v k i " g f
Police Boat Code	E g t v k i " g f
Bareboat Option	Yes

X g u u g n " U r g e k i " e c v k q p	
Manufacturer	Ribcraft
J w n n " O c v g t k g r p	
LOA	7.8m
Beam	2.7m
F t c h v	0.7m
Tonnage	3 . 9 7 2 m i
Bollard Pull	: 2 2 m i " c r r t q z 0
Machinery	3 " z " U w w m k " 4 7 2 j r
H w g n " / " Q k n u	Petrol
H w g n " E c r c e k	4 8 2 " n v t u
H w g n " D w t p	6 2 N v t u " R J " B " 4 7 m v u
U r g g f < " E t w k	4 7 " 1 " 6 4 2 m v u

V g e j p k e c n " U r g e k i " e c v k q p	
Navigation & Communications	Garmin 551s colour GPS plotter
	Garmin depth sounder
	K e q o " K E / O 7 2 7 " i " z g f " F U E
	Class B AIS System
	N G F " p c x k i c v k q p " n k i j v u
F g e m " Arrangement	H w n n " j g k i j v " h t q p v " e q p u d n g
	4 " z " J g n o " 1 " p c x k i c v q t " y seats
	6 " z " F q w d n g " l q e m g { " u g c v removable
	C p e j q t " (" h g p f g t " f g e m " n
	4 " z " n c t i g " y c v g t v k i j v " f
Optional Extras	U v q t c i g " n q e m g t " k p " h t q p
	Class A AIS transponder
	R t q v g e v k x g " f g e m " o c v v k p
	Blue or orange class 1 strobe lights
	Auxiliary engine 2.5hp - 15hp
	U k n g p v " t w p p k p i " i g p g t c v
	O q v j g t u j k r " u v q y c i g " e t c



CRC CYGNET

7.7m Sealegs Amphibious Open Rib

General Characteristics		V g e j p k e c n " U r g e k i " e c v k q p	
Vessel Name	CRC CYGNET	Navigation & Communications	Garmin GPSMap 7412xsv colour plotter
MMSI	232048468		Garmin depth sounder
Call Sign	MNVV4		K e q o " K E / O 5 4 5 " i " z g f " F U E " X J H
			N G F " p c x k i c v k q p " n k i j v u
Coding	MCA category 3 - 20nm,Offshore day. MCA category 3R at night. Load line g z g o r v k q p " e g t v k i "	F g e m " Arrangement	H w n n " j g k i j v " h t q p v " e q p u q n g
IMCA	MISW Registered		4 " z " J g n o " 1 " p c x k i c v q t " y k p i " u w r r q t v g f " l q e m g seats
MLC	Compliant		4 " z " F q w d n g " u g c v u " y k v j " d c e m t g u v u " / " t g o q x c d
Vessel Capacity	6 Persons / 700kg payload		Anchor & fender deck locker
Bareboat Option	Yes		3 " z " y c v g t v k i j v " f g e m " n q e m g t
			Storage locker in front of console
			4 " z " d k n i g " r w o r u " y k v j " u " q c v " u y k v e j " c n c t o u
X g u u g n " U r g e k i " e c v k q p		Amphibious System	3 " z " J q p f c " 4 4 j r " 3 8 m Y " C k t / E q q n g f " J R W
Manufacturer	Sealegs		3 x 25" x 12" all-terrain tyres on 12" alloy rims
J w n n " O c v g t k r a			J { f t c w n k e c n n { " t g n g c u g f " o g e j c p k e c n " d t c m g u
LOA	7.7m		C n n " y j g g n " f t k x g " y k v j " f k h h " n q e m
Beam	2.7m	Optional Extras	30 minutes run time on land
F t c h v <	0.6m		Class A AIS transponder
C k t " F t c h v	4 0 7 o " Y j g g n u " W r " 1 " 4 0 2 o " Y j g g n u " F q y p		Protective deck matting
Tonnage	1,700kg		Blue or orange class 1 strobe lights
Machinery	1 x Yamaha 200hp		Auxiliary engine 2.5hp - 15hp
Machinery	3 " z " J q p f c " I Z 8 ; 2 " 4 4 j r " J R W		U k n g p v " t w p p k p i " i g p g t c v q t u " 3 m y " / " 8 0 7 m y
H w g n " / " Q k n u	Petrol		O q v j g t u j k r " u v q y c i g " e t c f n g
H w g n " E c r c e k l	180ltrs		Survey pole
U r g g f " c v " U g c < " Cruise / Max	25 / 35 Kts		E V X " d q y " r n c v h q t o
U r g g f " q p " N c p f < " Cruise / Max	2 / 4 Kts		
H w g n " D w t p	4 7 N v u " R g t " J q w t " B " 4 2 m v u		

CRC GANNET

7.7m Sealegs Amphibious Open Rib


General Characteristics		V g e j p k e c n " U r g e k í " e c v k q p	
Vessel Name	CRC GANNET	Navigation & Communications	Garmin EchoMapCV Plotter
MMSI	232048468		Raymarine depth sounder
Call Sign	MNVV4		K e q o " K E / O 5 4 5 " í " z g f " F U E " X J H
Coding	MCA category 3 - 20nm,Offshore day. MCA category 3R at night. Load line g z g o r v k q p " e g t v k í " e c v g		N G F " p c x k i c v k q p " n k i j v u
			Class A AIS transponder
IMCA	MISW Registered	F g e m " Arrangement	H w n n " j g k i j v " h t q p v " e q p u q n g
MLC	Compliant		4 " z " J g n o " 1 " p c x k i c v q t " y k p i " u w r r q t v g f " d q n u v seats
Vessel Capacity	6 Persons / 700kg payload		Boarding ladder
Bareboat Option	Yes		3 " z " F q w d n g " u g c v u " y k v j " d c e m t g u v u " / " t g o q x c d
X g u u g n " U r g e k í " e c v k q p			4 " z " C h v " ð " q q f n k i j v u
Manufacturer	Sealegs		Storage locker in front of console
J w n n " O c v g t k g r p	GRP	4 " z " d k n i g " r w o r u " y k v j " ð " q c v " u y k v e j " c n c t o u	
LOA	7.7m	Amphibious Sytem	3 " z " J q p f c " 4 4 j r " 3 8 m Y " C k t / E q q n g f " J R W
Beam	2.7m		3 x 25" x 12" all-terrain tyres on 12" alloy rims
F t c h v	0.6m		J { f t c w n k e c n n { " t g n g c u g f " o g e j c p k e c n " d t c m g u
C k t " F t c h v	4 0 7 o " Y j g g n u " W r 1 " 4 0 2 o " Y j g g n u " F q y p		C n n " y j g g n " f t k x g " y k v j " f k h h " n q e m
Tonnage	1,700kg		30 minutes run time on land
Machinery	1 x Yamaha 200hp	Optional Extras	4 4 j r " J R W
Machinery	3 " z " J q p f c " I Z 8 ; 2 " 4 4 j r " J R W		Protective deck matting
H w g n " / " Q k n u	Petrol		Blue or orange class 1 strobe lights
H w g n " E c r c e k	180ltrs		Auxiliary engine 2.5hp - 15hp
U r g g f " c v " U Cruise/Max	9.25 / 35 Kts		U k n g p v " t w p p k p i " i g p g t c v q t u " 3 m y " / " 8 0 7 m y
U r g g f " q p " N Cruise / Max	c.p.f / 35 Kts		O q v j g t u j k r " u v q y c i g " e t c f n g
H w g n " D w t p	4 7 N v u " R g t " J q w t " B " 4 2 m v u		R w u j " q p " d q y " r n c v h q t o

CRC SNIPE

7.7m Sealegs Amphibious Open Rib

General Characteristics	
Vessel Name	CRC SNIPE
MMSI	232054843
Call Sign	O R E \ ;
Coding	MCA category 3 - 20nm,Offshore day. MCA category 3R at night. Load line g z g o r v k q p " e g t v k í " e c v g
IMCA	MISW Registered
MLC	Compliant
Vessel Capacity	6 Persons / 700kg payload
Bareboat Option	Yes




X g u u g n " U r g e k í " e c v k q p	
Manufacturer	Sealegs
J w n n " O c v g t	GRPn
LOA	7.7m
Beam	2.7m
F t c h v	0.6m
C k t " F t c h v	4 0 7 o " Y j g g n u " W r " 1 " 4 0 Q o " Y j g g n u " F q y p
Tonnage	1,700kg approx.
Machinery	1 x Suzuki 200hp
Machinery	3 " z " J q p f c " I Z 8 ; 2 " 4 4 j r " J R W
H w g n " / " Q k n	Petrol
H w g n " E c r c e	180 lts
U r g g f " c v " U g c ≤ " Cruise/Max	25 / 35 Kts
U r g g f " q p " N c p f ≤ " Cruise/Max	2 / 4 kts
H w g n " D w t p	4 7 N v u " R g t " J q w t " B 4 2 M v u




General Characteristics	
Vessel Name	CRC SABRE
MMSI	232032002
Call Sign	O K N J :
Small ships registry	SSR178707
Coding	MCA Category 3R - 20nm Offshore day & night
IMCA	Compliant
MLC	N/A
Vessel Capacity	8 " R C Z
Port of London Auth.	E g t v k í " g f
Bareboat Option	Yes

X g u u g n " U r g e k í " e c v k q p	
Manufacturer	Ribcraft
J w n n " O c v g t	K R A
LOA	6.8m
Beam	2.7m
F t c h v	0.7m
Tonnage	1,750kg
Machinery	1 x Suzuki 250hp
H w g n " / " Q k n	u P e t r o l
H w g n " E c r c e	k 1 8 0 l t r s
H w g n " D w t p	6 2 N v t u " R J " B " 4 7 m v u
U r g g f < " E t w	k u g " 1 "
Max	25 / 40 kts

V g e j p k e c n " U r g e k í " e c v k q p	
Navigation & Communications	1 x Garmin Echomap Plus 65cv
	3 " z " K E Q O " K E / O 7 2 8 " X J H
Systems	N G F " p c x k i c v k q p " n k i j v u
	J c p f j g n f " u g c t e j n k i j v u
	H q t y c t f " c p f " c h v " û " q q f n l
	H q t y c t f " c p f " c h v " v q y k p i
	T g k p h q t e g f " m g g n " h t q o " d
Optional Extras	Road trailer
	Blue or orange Class 1 strobe lights
	Gekko helmets
	F t { " u w k v u "
	Protective deck matting








General Characteristics	
Vessel Name	CRC DART
MMSI	232027064
Call Sign	MHCF9
Small ships registry	SSR176545
Coding	MCA Category 3R - 20nm Offshore day & night
IMCA	Compliant
MLC	N/A
Vessel Capacity	6 PAX
Port of London Auth.	E g t v k í " g f
Bareboat Option	Yes

X g u u g n " U r g e k í " e c v k q p	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	5m
Beam	2.1m
Draft	0.4m
Tonnage	900kg Approx.
Machinery	1 x Mercury 60hp
Fuel - Oils	Petrol
Fuel Capacity	55 ltrs
Speed: Cruise / Max	20 / 25 kts

V g e j p k e c n " U r g e k í " e c v k q p	
Navigation & Communications	1 x Garmin Echomap Chirp 55cv
	1 x ICOM IC-M506 VHF
	Class B AIS
Systems	LED navigation lights
	N G F " ù " c u j k p i " d n w g " n k i j
	3 x Handheld searchlights
	Reinforced keel from bow to transom
	Fully intergrated self-righting system
Optional Extras	3-point lift
	Road trailer
	Beach launch trailer with NATO tow hitch
	Gekko helmets
	Dry suits
	Protective deck matting




CRC COMPRESSOR PACK

General	
Manufacturer	Coltri Ergo 285
Material	Stainless steel
Pipe Fittings	Stainless steel AISI 316
Outlet Connections	2x JIC 4
Weight	164kg
Length	1180mm
Height	770mm
Width	630mm
Lifting	2 Man Lift or Strops
V g e j p k e c n " U r g e k í " e c v k q p	
Type of Gas	Breathing Air EN12021
Intake Pressure	Atmospheric max 300mBar
Filling Pressure	300 Bar
Operating Temperature Range	-10 Celsius - +40 Celsius
Charging Rate	285l per min
R w t k í " e c v k q p "	UQ ¼ z l g b " n v g t
Cooling Air Flow	1.440 m3/h
Engine	
Power	7.5kw
Fuel Type	Diesel

C r r n k e c v k q p u	
Survey & Repair	Bridges
	Harbour walls
	Locks and river banks
	Large vessels
Dredging, Plant & Machinery	Platforms for diggers & dredgers
	Temporary bridges for access
Pumping & Reservoirs	Floating housing for pumping & pipe installations
	Access & support for pipe runs
Film, Television, Media & Events	Flexible camera platforms
	C e e g u u " (" û " q c v k p i platforms
	Floating stages
	Floating marquee platforms
Floating Docks	Temporary harbour installations
	Shore access pontoons
Pedestrian Access	Temporary walkways for public access
	Pedestrian bridges

O q f w n c t " H n q c v k p i " R q p v q q p "	
O q f w n c t / k p v g t n q e produced from high density polyethylene (HDPE)	
Very tough and durable whilst being safe to use in sensitive environments	
Base module dimensions 0.5m (W) x 0.5m (D) x 0.4m (H)	
Unlimited layout designs with a wide range of accessories	
In-house pontoon engineers to assess, design & specify for customer projects	
In-house transport & craning equipment with accredited installation teams	





Commercial Rib Charter®

Office: **01590 607103**
24 hour support: **07979 533722**

info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

