Commercial Rib Charter®

Europe's Leading **Commercial Rib Charter** Company



About **Commercial Rib Charter**



Established in 2001, CRC are the market leading provider of commercial vessels between 3m and 19m in length. Our vessels include cable lay support, crew transfer, shallow draft, amphibious, survey, dive, police, and work boats. Our forty-eight vessels set the standard for excellence, all thanks to our fantastic team.







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Inland / Inshore / Offshore / UK / Europe / Worldwide

Commercial Rib Charter®



Contents

CRC Sentinel	04
CRC Vulcan	05
CRC Gladiator	06
CRC Voyager	07
CRC Galaxy	08
CRC Galaxy DSV	09
CRC Ventura	10
CRC Walrus	11
CRC Vanguard	12
CRC Vigilant	13
CRC Hunter	14
CRC Buccaneer	15
CRC Defender	16
CRC 8.8m Open Ribs	17
CRC 7.8m Open Ribs	18
CRC Cygnet	19
CRC Gannet	20
CRC Snipe	21
CRC Sabre	22
CRC Dart	23
CRC Scuba Replacement Pack	24
CRC Compressor Pack	25
CRC Modular Pontoons	26

Contact Info & Enquiries

Telephone:
Office: +44 (0) 1590 607103
24hr Emergency: +44 (0) 7979 533722

Office address:
Commercial Rib Charter Ltd, Unit 6 Dell Buildings
Milford Road, Lymington, Hampshire SO41 0ED







Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC SENTINEL

19m Dive Support Vessel & CTV

Commercial Rib Charter®



General Characteristics

Vessel Name	CRC SENTINEL
MMSI	235083968
Call Sign	2ECN8
Coding	MCA Category 2 - 60nm Offshore day & night Stability booklet
IMCA	CMID Registered
MLC	Compliant
Vessel Capacity	12 PAX + 3 crew / 1,500kg payload

Vessel Specification

Manufacturer	Alicat Workboats
Hull Material	Aluminium
LOA	19.0m
Beam	7.4m
Draft	1.2m
Tonnage	43,240kg approx.
Bollard Pull	5,000kg approx.
Machinery	2 x MAN D2862 - V12 1200HP 2 x Rolls Royce FF500 waterjets 2x Cummins Onan 13.5kVa / 230V
Lifting	1x Bonfiglioli P7200 L2 920kg @ 7m
Fuel - Oils	Diesel 2 x 2,500L
Speed: Cruise / Max	22 / 29kts
Fuel Burn	400ltrs PH Combined @ 21kts
Max wave height	2.5m Significant
Bow Dimensions	Width - 4.3m Height from waterline - 2.4m
Anchoring	Hercules Hydraulics 4-point spread 4 x winches with auto brakes 4 x 200kg anchors 4x 450m Dyneema / 27m Chain Bridge hydraulics control panel

Diving System - IMCA DO23 Compliant

Air & Nitrox Fixed Dive Spread	1 x 2 Diver Air Panel
	1 x 2 Diver Nitrox Panel
	1 x 1 Diver Stand-by Panel
	4 x Greisinger O2 Analysers
	1 x Greisinger O2 Sensor
Subsea Video & Data Recording	1 x AXSUB AxVIEW 3V-RM Recording System
	1 x AXSUB Blackbox Recording System
	1 x Rackmount TouchPanel 17" Display 1TB HDD
	2 x 19" Full LED HD Monitors
Communications	1 x C-Tecnics C-Phone 4R 4 Channel System
	1 x C-Tecnics Premium Tenders Dive Supervisor Headset
Power Backup	1 x APC Smart-UPS SRT 2700 Watt / 3000VA
	Built-in Automatic Bypass Switch
	Run Time at Full Load - 10m 29s
Cameras, Lamps & Helmets	3 x AXSUB AxSEE 57i SMART Cameras with Depth Meter
	1 x Hikvision Vessel CCTV Monitor (at Dive Station)
	3x AXSUB AxLIGHT 35 LED Lamps (2,800 Lux @ 1m)
	8 x AXSUB Helmet Bracket Kits for 35mm & 57mm Housings
Umbilicals	3 x Fibroline 125m Umbilicals
	4 Core - Air, Pneumo, Comms, Mini TV
Cylinders	Air - 6x 200 Bar 50L Primary + 1x Secondary
	Nitrox - 8x 300 Bar 45L Primary + 1x Secondary
	Standby Diver (Air) - 1x Primary + 1x Secondary
HP Compressor	1 x Coltri MCH11EM 300 Bar / 200ltrs per min
	Auto Control System
	Maxifilter Purification System
Launch & Recovery	Bespoke Dive Platform and Ladder
	Floodlit and CCTV Monitored
	Emergency Rescue Davit
Welfare	4x Single Berth Crew Quarters
	Full Galley Services - Hot / Cold Water, Microwave, Hob
	Heads, Basin & Shower







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC VULCAN

16m Multi-Role Catamaran

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC VULCAN
MMSI	235083437
Call Sign	2EAH2
Coding	MCA Category 2 - 60nm Offshore day & night Stability booklet, IMDG
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 3 crew / 4,000kg payload

Vessel Specification	
Manufacturer	IOW South Boats
Hull Material	Aluminium
LOA	16.48m
Beam	6.3m
Draft	1m
Tonnage	24,000kg Approx.
Bollard Pull	5,000kg Approx.
Machinery	2 x Scania D16 42M 2 x Ultra Dynamics UJ452 1 x Cummins Onan 9.5kVa /230V
Fuel - Oils	Diesel 2 x 1,820L
Speed: Cruise / Max	21 / 25 Kts
Fuel Burn	270Ltrs PH Combined @ 21kts
Max Wave Height	1.75m Significant
Bow Dimensions	Width - 4.7m Height from waterline - 2.1m

Technical Specification	
Navigation & Communications	2 x Furuno GP39 GPS
	2 x Furuno Navnet TZ2 chart plotter / radar
	1 x Furuno Universal FA-150 Class A AIS
	2 x Sailor RT5022 DSC VHF
	1 x Taiyo Musen TDL 1550 VHF DF Receiver
	1 x Furuno LH-3000 loudhailer
	CCTV & Recorder - 8 x external/internal cameras
	On-board WiFi
Systems & Welfare	LED navigation & deck flood lights
	LED cabin lights - white / red
	10 x Bilge auto/manual over-ride bilge pumps
	Inverter & generator 240v
	2 x Air suspension bridge seats
	12 x Air suspension saloon seats
	Galley - hot / cold water, microwave, hob
	Heads & basin
	Eberspacher D5 heating
Deck Arrangement	2 x Rescue zones with Jason's Cradle
	Forward steps with boarding hand rails
	Large clear fore deck with stowage and mounting points
	ROV davit
Optional Extras	Survey pole
	Protective deck matting
	Dive ladder
	Diver recovery davit
	Surface supply dive equipment







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC GLADIATOR 13m Multi-Role Catamaran

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC GLADIATOR
MMSI	235112943
Call Sign	2IUR3
Coding	MCA Category 2 - 60nm Offshore day & night Load line exemption certificate, IMDG
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload

Vessel Specification	
Manufacturer	South Boats IoW
Hull Material	GRP
LOA	13m
Beam	5.4m
Draft	0.8m
Bollard Pull	3,000kg approx.
Tonnage	15,000kg Approx.
Machinery	2 x Iveco FPT Cursor C90 620 2 x MJP Ultrajet 377 waterjets 1 x Cummins Onan 4kVa / 230v
Fuel - Oils	Diesel 2 x 800L
Speed: Cruise / Max	27 / 30 Kts
Fuel Burn	160Ltrs PH Combined @ 21kts
Max Wave Height	1.5m Significant
Bow Dimensions	Width - 3.2m Height from waterline - 1.7m

Technical Specification	
Navigation & Communications	1 x Simrad 12" NSE plotter
	1 x Furuno Navnet 3D MFD12 radar
	1 x Furuno Universal FA-150 Class A AIS
	1 x Sailor 6222 DSC VHF
	1 x Standard Horizon GX1700E DSC VHF
	1 x Furuno LH-3000 loudhailer
	CCTV & Recorder - 8 x external/internal cameras
	On-board WiFi
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights - white / red
	10 x Bilge auto/manual over-ride bilge pumps
	Inverter & generator 240v
	2 x Air suspension bridge seats
	12 x Air suspension saloon seats
	Galley unit - hot / cold water, microwave.
	Heads & basin
	Eberspacher heating
	Air conditioning
Deck Arrangement	2 x Rescue zones with Jason's Cradle
	Forward steps with boarding hand rails
	Large clear fore & aft deck with stowage and mounting points
	Aft deck seating with canopy
Optional Extras	Survey pole
	Protective deck matting
	Dive ladder
	Diver recovery davit
	Surface supply dive equipment







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC VOYAGER

15m Multi-Role Cabin Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC VOYAGER
MMSI	232011764
Call Sign	MBZZ7
UK Coding	MCA Category 2 - 60nm Offshore day & night Load line exemption certificate Daughter craft capability
Irish Coding	P5 Passenger boat licence
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload

Vessel Specification	
Manufacturer	Ribcraft / Goodchild Marine / Alicat
Hull Material	Aluminium
LOA	15.0m
Beam	3.6m
Draft	0.8m
Tonnage	11,000kg
Bollard Pull	3,000kg approx.
Machinery	2 x Volvo-Penta D6-435 2 x Hamilton HJ322 waterjets 1 x Fischer Panda 8000i 8kVa / 230v Silent Running Generator.
Fuel - Oils	Diesel 2 x 900L
Speed: Cruise / Max	25 / 30 Kts
Fuel Burn	120Ltrs PH Combined @21kts
Max Wave Height	1.2m Significant
Bow Dimensions	Width - 2.4m Height from waterline - 1.3m

Technical Specification	
Navigation & Communications	2 x Garmin 7416 plotter / HD radar / sonar
	2 x Garmin 300i fixed VHF
	Airmar weather station
	McMurdo Class A AIS
	Loudhailer unit
	CCTV
Systems & Welfare	LED navigation & deck flood Lights
	LED cabin lights - white / red
	2 x Class 1 blue LED strobe lights
	High-powered searchlight
	14 x Grammer suspension seats
	Galley unit - hot / cold water, microwave
	Heads
	Shower
Deck Arrangement	MOB recovery davit
	2 x Rescue zones with Jason's Cradle
	Forward steps with boarding hand rails
	Full height forward cabin access door
	Large clear aft deck with stowage and mounting points
	Dive ladder
Optional Extras	Protective deck matting
	Mothership stowage cradle
	Surface supply dive equipment
	Survey pole







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC GALAXY

15m Multi-Role Cabin Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC GALAXY
MMSI	235116253
Call Sign	2JIT4
Coding	MCA Category 2 - 60nm Offshore day & night Load line exemption certificate Daughter craft capability
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload

Vessel Specification	
Manufacturer	Ribcraft / Goodchild Marine
Hull Material	GRP
LOA	15.0m
Beam	3.6m
Draft	0.8m
Tonnage	9600Kg approx.
Bollard Pull	3,000kg approx.
Machinery	2 x Volvo-Penta D6-435 2 x Hamilton HJ322 waterjets 1 x Fischer Panda 8000i 8kVa / 230v Silent Running Generator.
Displacement Loaded	15500KG
Fuel - Oils	Diesel 2 x 900L
Speed: Cruise / Max	25 / 30 Kts
Fuel Burn	120Ltrs PH Combined @ 21kts
Max Wave Height	1.2m Significant
Bow Dimensions	Width - 2.5m Height from waterline - 1.4m

Technical Specification	
Navigation & Communications	2 x Garmin 7416 plotter / HD radar / sonar
	1 x Garmin 300i DSC VHF
	1x Icom IC-M506 DSC VHF
	1 x Icom M802 SSB MF/HF Radio
	McMurdo Class A AIS
	Loudhailer unit
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights - white / red
	2 x Class 1 blue LED strobe lights
	Francis high-powered searchlight
	14 x Gammer air suspension seats
	Galley unit - hot / cold water, microwave
	Heads
	Shower
Deck Arrangement	Jabsco fire / salvage pump
	MOB recovery davit
	Henriksen lifting hooks
	2 x Rescue zones with Jason's cradle
	Forward steps with boarding handrails
	Full height forward cabin access door
	Large clear aft deck with stowage and mounting points
	Dive ladder
Optional Extras	Protective deck matting
	Mothership stowage cradle
	Surface supply dive equipment
	Survey pole
	Surface supply dive equipment







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC GALAXY DSV

15m Dive Support Vessel

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC GALAXY DSV
MMSI	235116253
Call Sign	2JIT4
Coding	MCA Category 2 - 60nm Offshore day & night Load line exemption certificate Daughter craft capability
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload

Vessel Specification	
Manufacturer	Ribcraft / Goodchild Marine
Hull Material	GRP
LOA	15.0m
Beam	3.6m
Draft	0.8m
Tonnage	9600Kg approx.
Bollard Pull	3,000kg approx.
Machinery	2 x Volvo-Penta D6-435 2 x Hamilton HJ322 waterjets 1 x Fischer Panda 8000i 8kVa / 230v Silent Running Generator.
Displacement Loaded	15500KG
Fuel - Oils	Diesel 2 x 900L
Speed: Cruise / Max	25 / 30 Kts
Fuel Burn	120Ltrs PH Combined @ 21kts
Max Wave Height	1.2m Significant
Bow Dimensions	Width - 2.5m Height from waterline - 1.4m

Technical Specification	
Air & Nitrox Fixed Dive Spread	1 x 2 Diver Air Panel
	1 x 1 Diver Stand-by Panel
	3 x Greisinger O2 Analysers
Subsea Video & Data Recording	1 x AXSUB AxVIEW 3V-RM Recording System
	1 x AXSUB Blackbox Recording System
	1 x Amron 3 Diver Rack Mounted Radio
	1x 32-inch Central Command Screen
Communications	1 x Icom IC-M506 DSC VHF
	Communications 1 x Icom M802 SSB MF/ HF Radio
Power Backup	1 x APC Smart-UPS SRT 2700 Watt / 3000VA
	Built-in Automatic Bypass Switch
	Run Time at Full Load – 1h 29m
Cameras, Lamps & Helmets	3 x AXSUB AxSEE 57i SMART Cameras with Depth Meter
	1 x Hikvision Vessel CCTV Monitor (at Dive Station)
	3x AXSUB AxLIGHT 35 LED Lamps (2,800 Lux @ 1m)
	3x x AXSUB Helmet Bracket Kits for 35mm & 57mm Housings
Umbilical's	3 x Fibroline 100m Umbilicals
	4 Core - Air, Pneumo, Comms, Mini TV
Cylinders	6x 50L 220 Bar CarboTainer
Launch & Recovery	Bespoke Dive Platform and Ladder
	Floodlit and CCTV Monitored
	Emergency Rescue Davit
	Henriksen lifting hooks
Welfare	14x Gammer air suspension seats
	Full Galley Services - Hot / Cold Water, Microwave
	Heads, Basin & Shower







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC VENTURA

14.5m Multi-Role Cabin Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC VENTURA
MMSI	232059567
Call Sign	MRQP6
Coding	MCA Category 2 - 60nm offshore day & night Load line exemption certificate Safe manning certificate
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload
Irish Coding	P5 Passenger boat licence

Vessel Specification	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	14.5m
Beam	3.6m
Draft	1m
Tonnage	10,900kg
Bollard Pull	3,000kg approx.
Machinery	2 x Volvo Penta D6 – 380 2 x Volvo Penta Aquamatic Sterndrives 1 x Fischer Panda 8000i 8kVa / 230v Fischer Panda 8.0kva Silent Running Generator.
Fuel - Oils	Diesel 2 x 610L
Speed: Cruise/Max	25 / 30 Kts
Fuel Burn	100Ltrs PH Combined @ 21kts
Max wave height	*1.2m Significant*
Bow Dimensions	*Width - 1.8m* *Height from waterline - 1.1m*

Technical Specification	
Navigation & Communications	2 x Garmin 7416 plotter / HD radar / sonar
	1 x Garmin 300i DSC VHF
	1x Icom IC-M506 DSC VHF
	1 x Icom M802 SSB MF/HF Radio
	McMurdo Class A AIS
	Loadhailer unit
Systems	LED navigation & deck floodlights
	LED cabin lights - white / red
	2 x Class 1 blue LED strobe lights
	Francis high-powered searchlight
	Wifi
	CCTV
Welfare	14 x Grammer air suspension seats
	Galley unit - hot / cold water, microwave
	Heads
	Shower
	2x 240v outlets
Deck Arrangement	Jabsco fire / salvage pump
	MOB recovery davit
	2 x Rescue zones with Jason's cradle
	Forward steps with boarding handrails
	Full height forward cabin access door
	Large clear aft deck with stowage and mounting points
Optional Extras	Protective deck matting
	Mothership stowage cradle







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC WALRUS

13m Amphibious Crew Transfer Vessel

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC WALRUS
MMSI	232045496
Call Sign	MMXA2
Coding	MCA Category 2 - 60nm Offshore day & night. Load line exemption certificate, IMDG
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	8 PAX + 2 crew / 1,000kg payload

Vessel Specification	
Manufacturer	Diverse Marine
Hull Material	Aluminium
LOA	12.8m
Beam	4.0m
Draft	1.2m Wheels Up / 1.4m Wheels Down
Air Draft	4.5m Sea / 6.8m Land
Tonnage	12,000kg
Bollard Pull	3,000kg approx.
Machinery	2 x Suzuki 325hp 1 x Whisper 4.4kVa/230v Genset. 1 x Kubota 37kW Air-Cooled HPU
Fuel - Oils	Diesel 2 x 335L
Speed at Sea: Cruise / Max	16 / 24 Kts
Speed on Land: Cruise / Max	2 / 4 Kts
Fuel Burn	80Ltrs PH Combined @ 18kts
Max Wave Height	1.5m Significant
Bow Dimensions	Width - 3m Height from waterline - 1.8m

Technical Specification	
Navigation & Communications	2 x Garmin 1223xsv plotter / radar / sonar
	1 x Icom M510E VHF / DSC Radio
	1 x Garmin VHF 215 Marine Radio
	1 x Furuno NX700 NAVTEX receiver
	1 x Furuno FA-170 Class A AIS
	1 x Garmin GHC-20 Autopilot
	CCTV & Recorder - 12 x cameras
	On-board WiFi
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights - white / red
	High-powered searchlight
	Heating, heads and basin
	8 x passenger & 2 x Grammer crew seats
	Galley - boiling hot / cold water, microwave, refrigerator
Deck Arrangement	MOB recovery davit and fall arrest system
	2 x rescue zones
	Transfer platform with sliding walkway (2.8m) and handrails
	Large clear fore deck with stowage and mounting points
Amphibious System	3 x 40" x 15" tyres on 23" rims
	3 x 200 bar hydraulic wheel motors for all-wheel drive
	Hercules Alliance joystick control system
	Hydraulically released mechanical brakes
	Traction control
	Wheel position sensors, alarms and CCTV
Optional Extras	Protective deck matting
	Silent running generators 1kw - 6.5kw
	Surface supply dive equipment







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC VANGUARD 12.5m Multi-role Cabin Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC VANGUARD
MMSI	232020455
Call Sign	MERC2
Coding	MCA Category 2 - 60nm Offshore day & night Load line exemption certificate
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	12.5m
Beam	3.6m
Draft	0.8m
Tonnage	5,000kg
Bollard Pull	2,000kg approx.
Machinery	2 x Suzuki 325hp
Fuel - Oils	Petrol 2 x 600L
Speed: Cruise / Max	27 / 39 Kts
Fuel Burn	120Ltrs PH Combined @ 21kts
Max Wave Height	1.2m Significant
Bow Dimensions	Width - 1.8m Height from waterline - 1.1m

Technical Specification	
Navigation & Communications	2 x Garmin 7416 plotter / HD radar / sonar
	2 x Garmin 300i fixed DSC VHF
	Airmar weather station
	McMurdo Class A AIS
	Loudhailer unit
	CCTV
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights - white / red
	2 x Class 1 blue LED strobe lights
	High-powered searchlight
	Heating
	Heads
	14 x Grammer suspension seats
	Basic Galley
Deck Arrangement	MOB recovery davit
	2 x Rescue zones with Jason's Cradle
	Forward steps with boarding handrails
	Full height forward cabin access door
	Large clear aft deck with stowage and mounting points
Optional Extras	Protective deck matting
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle
	Survey pole







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC VIGILANT

12.5m Multi-role Cabin Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC VIGILANT
MMSI	232040456
Call Sign	MKWL9
Coding	MCA Category 2 – 60NM Offshore day & Night Load Line exemption certificate
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 Crew / 1500kg payload
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	12.5m
Beam	3.5m
Draft	0.8m
Tonnage	8,400kg
Bollard Pull	2000kg approx.
Machinery	2 x Suzuki 325hp
Fuel - Oils	Petrol – 2 x 225L
Speed: Cruise/Max	27 / 39 kts
Fuel Burn	120Lts PH Combined @ 21kts
Max Wave Height	1.2m Significant
Bow Dimensions	Width – 1.8m Height from waterline – 1.1m

Technical Specification	
Navigation & Communications	2 x Garmin 8412xsv plotter / HD radar / sonar
	2 x Icom / Garmin fixed DSC VHF
	Raymarine Class A AIS
	Loudhailer unit
	CCTV crew monitoring
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights – white/red
	High-powered searchlight
	Heating
	Grammer suspension seats
	Heads
	Hot water boiler
Deck Arrangement	MOB recovery davit
	Forward steps with boarding handrails
	Full height forward access door
	Clear aft deck with stowage and mounting points
Optional Extras	Protective deck matting
	Silent running generators 1kw-6.5kw
	Mothership stowage Cradle
	Survey pole







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC HUNTER 11m Multi-role Catamaran

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC HUNTER
MMSI	232065497
Call Sign	MTF04
Coding	MCA Category 2 - 60nm Offshore day & night
IMCA	eCMID registered
MLC	Compliant
Vessel Capacity	12 PAX + 2 crew / 1,500kg payload
Bareboat Option	No

Vessel Specification	
Manufacturer	Cheetah Catamaran
Hull Material	GRP
LOA	11m
Beam	3.4m
Draft	0.8m
Tonnage	4,200KG
Machinery	2 x Honda 250hp
Fuel - Oils	Petrol 2 x 220ltrs
Speed: Cruise / Max	20 / 30 Kts
Fuel Burn	80Ltrs PH Combined @ 22kts
Max wave height	1.2m Significant
Bow Dimensions	Width - 2.2m Height from waterline - 1.5m

Technical Specification	
Navigation & Communications	1 x Simrad plotter / HD radar / sonar
	2 x Simrad / Raymarine fixed DSC VHF
	DIgital Yacht Class A AIS
	Loudhailer unit
	Simrad depth sounder
	Stern camera
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights - white / red
	Heating
	WBV suspension seating
	Heads
	High powered search light
	MOB recovery cradle
Deck Arrangement	Forward steps with boarding hand rails
	Aft access ladder
	Rescue zones with Jason's Cradle
	Full height rear cabin access door
	Clear aft deck with stowage and mounting points
Optional Extras	Protective deck matting
	Survey pole
	Silent running generators 1kw - 6.5kw
	Tender with outboard







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC BUCCANEER 10.5m Cabin Rib

Commercial Rib Charter®



General Characteristics

Vessel Name	CRC BUCCANEER
MMSI	232027663
Call Sign	MHIN2
Coding	MCA Category 2 - 60nm offshore day & night Load line exemption cert. Work Boat Code 3
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	4 PAX + 2 crew / 1,000kg Payload
Bareboat Option	Yes

Vessel Specification

Manufacturer	Ribcraft
Hull Material	GRP
LOA	10.5m
Beam	3m
Draft	0.8m
Tonnage	6.1T
Bollard Pull	1,000kg approx.
Machinery	2 x Suzuki 325hp
Fuel - Oils	Petrol - 630L capacity
Speed: Cruise/Max	27 / 35 kts
Fuel Burn	100Ltrs PH Combined @ 21kts

Technical Specification

Navigation & Communications	2 x Raymarine Axiom 12 Pro
	2 x Raymarine 63 VHF
	Raymarine Quantum 2 Doppler Radar
	Raymarine Class A AIS
	Loudhailer unit
Systems	LED navigation & deck floodlights
	LED cabin lights - white / red
	2 x class 1 blue LED strobe lights
	High-powered searchlight
Welfare	Grammer air suspension skipper and crew seat
	Jockey seat arrangement
	Hot water boiler
	Heads
	2x 240v outlets
Deck Arrangement	Large foredeck with optional mount point
	Forward steps with boarding hand rails
	Large clear aft deck with dive ladder mounting points
Optional Extras	Protective deck matting
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Survey Pole
	Dive ladder







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC DEFENDER 10m Cabin Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC DEFENDER
MMSI	235100527
Call Sign	2GUA2
Coding	MCA Category 2 - 60nm Offshore day & night
IMCA	CMID/MISW Registered
MLC	Compliant
Vessel Capacity	6 PAX + 2 crew/ 1000kg payload
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	10.0m
Beam	3.3m
Draft	0.9m
Tonnage	4790kg
Machinery	2 x Yanmar 6LPA 315hp
Fuel - Oils	Diesel 2 x 220ltrs
Speed: Cruise / Max	24 / 35 Kts
Fuel Burn	80Ltrs PH Combined @ 24kts
Max wave height	1.2m Significant

Technical Specification	
Navigation & Communications	1 x Raymarine Axiom 9" MFD / Plotter / Radar
	1 x Icom IC-M506 VHF
	1 x Icom IC-M426GE VHF
	1 x Class B AIS
	1 x Loudhailer Unit
	2 x Blue LED flashing lights
Systems & Welfare	LED navigation & deck floodlights
	LED cabin lights - white / red
	High powered searchlight
	4 x Air suspension Seats
	MOB Recovery System
Deck Arrangement	4m2 Aft Deck Platform
	Hadrian Pilot Safety Rail
	Aft towing Bollard
Optional Extras	Protective deck matting
	Silent running generators 1kw - 6.5kw
	Surface supply dive equipment







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC 8.8m RIB

Ribcraft 8.8m Open Rib (12x Available)

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC 8.8m Open Rib - 12 Available
MMSI	Various
Call Sign	Various
SSR	Various
Coding	MCA Category 3 - 20nm offshore day & night Load line exemption certificate, IMCA MISW Registered
Vessel Capacity	12 PAX
Port of London Auth.	Certified
Police Boat Code	Certified
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	8.8m
Beam	2.7m
Draft	0.7m
Tonnage	1,900kg
Bollard Pull	800kg approx.
Machinery	1 x Suzuki 250hp
Fuel - Oils	Petrol
Fuel Capacity	260 ltrs
Fuel Burn	40Ltrs PH @ 25kts
Speed: Cruise/Max	25 / 42 kts

Technical Specification	
Navigation & Communications	Garmin 551s colour GPS plotter
	Garmin depth sounder
	Icom IC-M505 fixed DSC VHF
	Class B AIS System
	LED navigation lights
Deck Arrangement	Full height front console
	2 x Helm / navigator wing supported jockey seats
	4 x Double jockey seats with backrests - removable
	Anchor & fender deck locker
	2 x large watertight deck lockers
	Storage locker in front of console
Optional Extras	Class A AIS transponder
	Protective deck matting
	Blue or orange class 1 strobe lights
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC 7.8m RIB

Ribcraft 7.8m Open Rib (8x Available)

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC 7.8 m Open Rib - 8 Available
MMSI	Various
Call Sign	Various
SSR	Various
Coding	MCA Category 3 - 20nm offshore day & night Load line exemption certificate, IMCA MISW Registered
Vessel Capacity	12 PAX
Port of London Auth.	Certified
Police Boat Code	Certified
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	7.8m
Beam	2.7m
Draft	0.7m
Tonnage	1,750kg
Bollard Pull	800kg approx.
Machinery	1 x Suzuki 250hp
Fuel - Oils	Petrol
Fuel Capacity	260 ltrs
Fuel Burn	40Ltrs PH @ 25kts
Speed: Cruise / Max	25 / 42 kts

Technical Specification	
Navigation & Communications	Garmin 551s colour GPS plotter
	Garmin depth sounder
	Icom IC-M505 fixed DSC VHF
	Class B AIS System
	LED navigation lights
Deck Arrangement	Full height front console
	2 x Helm / navigator wing supported jockey seats
	4 x Double jockey seats with backrests - removable
	Anchor & fender deck locker
	2 x large watertight deck lockers
	Storage locker in front of console
Optional Extras	Class A AIS transponder
	Protective deck matting
	Blue or orange class 1 strobe lights
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY


Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC CYGNET

7.7m Sealegs Amphibious Open Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC CYGNET
MMSI	232048468
Call Sign	MNVV4
Coding	MCA category 3 - 20nm,Offshore day. MCA category 3R at night. Load line exemption certificate
IMCA	MISW Registered
MLC	Compliant
Vessel Capacity	6 Persons / 700kg payload
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Sealegs
Hull Material	GRP
LOA	7.7m
Beam	2.7m
Draft:	0.6m
Air Draft	2.5m Wheels Up / 2.0m Wheels Down
Tonnage	1,700kg
Machinery	1 x Yamaha 200hp
Machinery	1 x Honda GX690 22hp HPU
Fuel - Oils	Petrol
Fuel Capacity	180 ltrs
Speed at Sea: Cruise / Max	25 / 35 Kts
Speed on Land: Cruise / Max	2 / 4 Kts
Fuel Burn	25Lts Per Hour @ 20kts

Technical Specification	
Navigation & Communications	Garmin GPSMap 7412xsv colour plotter
	Garmin depth sounder
	Icom IC-M323 fixed DSC VHF
	LED navigation lights
Deck Arrangement	Full height front console
	2 x Helm / navigator wing supported jockey seats
	2 x Double seats with backrests - removable
	Anchor & fender deck locker
	1 x watertight deck locker
	Storage locker in front of console
	2 x bilge pumps with float switch alarms
Amphibious System	1 x Honda 22hp 16kW Air-Cooled HPU
	3 x 25" x 12" all-terrain tyres on 12" alloy rims
	Hydraulically released mechanical brakes
	All wheel drive with diff lock
	30 minutes run time on land
Optional Extras	Class A AIS transponder
	Protective deck matting
	Blue or orange class 1 strobe lights
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle
	Survey pole
	CTV bow platform







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC GANNET

7.7m Sealegs Amphibious Open Rib

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC GANNET
MMSI	232048468
Call Sign	MNVV4
Coding	MCA category 3 - 20nm,Offshore day. MCA category 3R at night. Load line exemption certificate
IMCA	MISW Registered
MLC	Compliant
Vessel Capacity	6 Persons / 700kg payload
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Sealegs
Hull Material	GRP
LOA	7.7m
Beam	2.7m
Draft	0.6m
Air Draft	2.5m Wheels Up/ 2.0m Wheels Down
Tonnage	1,700kg
Machinery	1 x Yamaha 200hp
Machinery	1 x Honda GX690 22hp HPU
Fuel - Oils	Petrol
Fuel Capacity	180 ltrs
Speed at Sea: Cruise/Max	25 / 35 Kts
Speed on Land: Cruise / Max	2 / 4 Kts
Fuel Burn	25Lts Per Hour @ 20kts

Technical Specification	
Navigation & Communications	Garmin EchoMapCV Plotter
	Raymarine depth sounder
	Icom IC-M323 fixed DSC VHF
	LED navigation lights
	Class A AIS transponder
Deck Arrangement	Full height front console
	2 x Helm / navigator wing supported bolster seats
	Boarding ladder
	1 x Double seats with backrests - removable
	2 x Aft floodlights
	Storage locker in front of console
	2 x bilge pumps with float switch alarms
Amphibious Sytem	1 x Honda 22hp 16kW Air-Cooled HPU
	3 x 25" x 12" all-terrain tyres on 12" alloy rims
	Hydraulically released mechanical brakes
	All wheel drive with diff lock
	30 minutes run time on land
Optional Extras	Protective deck matting
	Blue or orange class 1 strobe lights
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle
	Push on bow platform







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC SNIPE 7.7m Sealegs Amphibious Open Rib

Commercial Rib Charter®



General Characteristics

Vessel Name	CRC SNIPE
MMSI	232054843
Call Sign	MPCZ9
Coding	MCA category 3 - 20nm,Offshore day. MCA category 3R at night. Load line exemption certificate
IMCA	MISW Registered
MLC	Compliant
Vessel Capacity	6 Persons / 700kg payload
Bareboat Option	Yes

Vessel Specification

Manufacturer	Sealegs
Hull Material	GRP
LOA	7.7m
Beam	2.7m
Draft	0.6m
Air Draft	2.5m Wheels Up / 2.0m Wheels Down
Tonnage	1,700kg approx.
Machinery	1 x Suzuki 200hp
Machinery	1 x Honda GX690 22hp HPU
Fuel - Oils	Petrol
Fuel Capacity	180 ltrs
Speed at Sea: Cruise/Max	25 / 35 Kts
Speed on Land: Cruise/Max	2 / 4 Kts
Fuel Burn	25Lts Per Hour @20Kts

Technical Specification

Navigation & Communications	Garmin GPSMap 7412xsv colour plotter
	Garmin depth sounder
	Icom IC-M51 fixed DSC VHF
	LED navigation lights
Deck Arrangement	Full height front console
	2 x Helm / navigator wing supported jockey seats
	2 x Double seats with backrests - removable
	Anchor & fender deck locker
	1 x watertight deck locker
	Storage locker in front of console
	2 x bilge pumps with float switch alarms
Amphibious System	1 xHonda 22hp 16kW Air-Cooled HPU
	3 x 25" x 12" all-terrain tyres on 12" alloy rims
	Hydraulically released mechanical brakes
	All wheel drive with diff lock
	30 minutes run time on land
Optional Extras	Class A AIS transponder
	Protective deck matting
	Blue or orange class 1 strobe lights
	Auxiliary engine 2.5hp - 15hp
	Silent running generators 1kw - 6.5kw
	Mothership stowage cradle







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC SABRE 6.8m Workboat

Commercial Rib Charter®



General Characteristics

Vessel Name	CRC SABRE
MMSI	232032002
Call Sign	MILH8
Small ships registry	SSR178707
Coding	MCA Category 3R - 20nm Offshore day & night
IMCA	Compliant
MLC	N/A
Vessel Capacity	6 PAX
Port of London Auth.	Certified
Bareboat Option	Yes

Vessel Specification

Manufacturer	Ribcraft
Hull Material	GRP
LOA	6.8m
Beam	2.7m
Draft	0.7m
Tonnage	1,750kg
Machinery	1 x Suzuki 250hp
Fuel - Oils	Petrol
Fuel Capacity	180 ltrs
Fuel Burn	40Ltrs PH @ 25kts
Speed: Cruise / Max	25 / 40 kts

Technical Specification

Navigation & Communications	1 x Garmin Echomap Plus 65cv
	1 x ICOM IC-M506 VHF
Systems	LED navigation lights
	Handheld searchlights
	Forward and aft floodlighting
	Forward and aft towing bollard
	Reinforced keel from bow to transom
Optional Extras	Road trailer
	Blue or orange Class 1 strobe lights
	Gekko helmets
	Dry suits
	Protective deck matting







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC DART 5m Rescue Boat

Commercial Rib Charter®



General Characteristics	
Vessel Name	CRC DART
MMSI	232027064
Call Sign	MHCF9
Small ships registry	SSR176545
Coding	MCA Category 3R - 20nm Offshore day & night
IMCA	Compliant
MLC	N/A
Vessel Capacity	6 PAX
Port of London Auth.	Certified
Bareboat Option	Yes

Vessel Specification	
Manufacturer	Ribcraft
Hull Material	GRP
LOA	5m
Beam	2.1m
Draft	0.4m
Tonnage	900kg Approx.
Machinery	1 x Mercury 60hp
Fuel - Oils	Petrol
Fuel Capacity	55 ltrs
Speed: Cruise / Max	20 / 25 kts

Technical Specification	
Navigation & Communications	1 x Garmin Echomap Chirp 55cv
	1 x ICOM IC-M506 VHF
	Class B AIS
Systems	LED navigation lights
	LED flashing blue light
	3 x Handheld searchlights
	Reinforced keel from bow to transom
	Fully intergrated self-righting system
	3-point lift
Optional Extras	Road trailer
	Beach launch trailer with NATO tow hitch
	Gekko helmets
	Dry suits
	Protective deck matting







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC SCUBA REPLACEMENT PACK

Commercial Rib Charter®



Certification	
Type	IMCA DO40 2 Diver HP Portable Dive Spread
D040	Compliant
D018	Compliant
ADC	Compliant
HSE	Compliant
Max Dive Depth	50 meters

General	
Manufacturer	SMP Ltd
Material	Stainless steel
Pipe Fittings	Brass and stainless steel
Inlet Connections	2 x HP Air Inlet (4 JIC) MAWP 300 Bar
Outlet Connections	3 x HP Air Outlet (6 JIC) MAWP 300 Bar
Weight	450kg (frame and cylinders only)
Length	2400mm
Height	1574mm (736mm without tridents)
Width	660mm
Lifting	4 x lifting points and 2 x forklift pockets

Application	
Fleet	Compatible with CRC Multi-Role Catamarans, Cabin Ribs
Wider Industry	Tugs - Multi Cats - Jack-up Barges - Ports and Quaysides - Offshore Installations - Ship Repair - Marine Salvage

Technical Specification	
Dive Spread	3 x Outlet distribution panel
	2 x Removable umbilical tridents
	1 x Two diver HP air panel in peli case
	2 x Greisinger O2 analysers
Subsea Video & Data Recording	1 x AXSUB AxVIEW 2V-P portable recording system
	1 x AXSUB HD high brightness LCD monitor
	2 x Portable battery packs (6-10 hrs run time per pack)
	Integrated UPS
	12VDC and 240V power supply
	Integrated blackbox with 128GB SD Card pemanently recording
Communications	1 x AMRON Amcon 11 2 diver rechargable portable system
	12V and 240V power supply
	45 hours battery life
Cameras, Lamps & Helmets	2 x AXSUB AxSEE 30 mini high resolution cameras
	2 x AXSUB AxLIGHT 35 LED lamps 2200 LUX @1m
	4 x Helmet bracket kits for 35mm housings
Umbilicals	2 x Fibrolite 100m umbilicals
	4 Core - Air, Pneumo, Comms
Cylinders	Air - 1 x Composite 300 Bar 50L Primary
	Air - 1 x Composite 300 Bar 50L Secondary
	Air - 2 x Composite 300 Bar 50L Reserve







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS


BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

CRC COMPRESSOR PACK

Commercial Rib Charter®



General	
Manufacturer	Coltri Ergo 285
Material	Stainless steel
Pipe Fittings	Stainless steel AISI 316
Outlet Connections	2x JIC 4
Weight	164kg
Length	1180mm
Height	770mm
Width	630mm
Lifting	2 Man Lift or Strops

Technical Specification	
Type of Gas	Breathing Air EN12021
Intake Pressure	Atmospheric max 300mBar
Filling Pressure	300 Bar
Operating Temperature Range	-10 Celsius - +40 Celsius
Charging Rate	285l per min
Purification System	Maxifilter
Cooling Air Flow	1.440 m3/h

Engine	
Power	7.5kw
Fuel Type	Diesel





THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001


BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk


www.commercialribcharter.co.uk

CRC MODULAR PONTOONS

Commercial Rib Charter®



Applications	
Survey & Repair	Bridges
	Harbour walls
	Locks and river banks
	Large vessels
Dredging, Plant & Machinery	Platforms for diggers & dredgers
	Temporary bridges for access
Pumping & Reservoirs	Floating housing for pumping & pipe installations
	Access & support for pipe runs
Film, Television, Media & Events	Flexible camera platforms
	Access & floating gantry platforms
	Floating stages
	Floating marquee platforms
Floating Docks	Temporary harbour installations
	Shore access pontoons
Pedestrian Access	Temporary walkways for public access
	Pedestrian bridges

Modular Floating Pontoon System	
Modular-interlocking floats produced from high density polyethylene (HDPE)	
Very tough and durable whilst being safe to use in sensitive environments	
Base module dimensions 0.5m (W) x 0.5m (D) x 0.4m (H)	
Unlimited layout designs with a wide range of accessories	
In-house pontoon engineers to assess, design & specify for customer projects	
In-house transport & craning equipment with accredited installation teams	







THE KING'S AWARDS FOR ENTERPRISE 2026 INNOVATION

ISO 9001

UKAS MANAGEMENT SYSTEMS

BRITISH MARINE LEADING THE INDUSTRY

Office: **01590 607103**
24 hour support: **07979 533722**
info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

Commercial Rib Charter®

Office: **01590 607103**
24 hour support: **07979 533722**

info@commercialribcharter.co.uk

www.commercialribcharter.co.uk

THE KING'S AWARDS FOR ENTERPRISE
2026
INNOVATION